



MBC – Mridul Bhaiya Classes

# CLASS X SCIENCE NOTES

*Key Notes and Important  
Questions with Answers*

## PERIODIC CLASSIFICATION OF ELEMENTS




**MBC – Mridul Bhaiya Classes**

## **CLASS X**

# **SCIENCE NOTES**

## **PERIODIC CLASSIFICATION OF ELEMENTS**

- ✓ Detailed notes
- ✓ PYQs with answers
- ✓ Graphics included





# PERIODIC CLASSIFICATION OF ELEMENTS

## → Döbereiner's Triads

(1817, Johann Wolfgang Döbereiner's Arranged according to increasing atomic masses)

| Element | Atomic weight | Element | Atomic weight | Element | Atomic weight |
|---------|---------------|---------|---------------|---------|---------------|
| Li      | 6.9           | Ca      | 40.1          | Cl      | 35.5          |
| Na      | 23.0          | Sr      | 87.6          | Br      | 79.9          |
| K       | 39.1          | Ba      | 137.3         | I       | 126.9         |

## Newland's Law of Octave

(1866, John, Newland's Arranged in the order of increasing Atomic mass.)

Newlands' Arranged Elements in Octaves:

|    |    |    |       |       |    |      |       |
|----|----|----|-------|-------|----|------|-------|
| H  | F  | Cl | Co/Ni | Br    | Pd | I    | Pt/Ir |
| Li | Na | K  | Cu    | Rb    | Ag | Cs   | Tl    |
| G  | Mg | Ca | Zn    | Sr    | Cd | Ba/V | Pb    |
| Bo | Al | Cr | Y     | Ce/La | U  | Ta   | Th    |
| C  | Si | Ti | In    | Zn    | Sn | W    | Hg    |
| N  | P  | Mn | As    | Di/Mo | Sb | Nb   | Bi    |
| O  | S  | Fe | Se    | Ro/Ru | Te | Au   | Os    |

## → Mendeleev's Periodic Table

(Arranged according to increasing Atomic mass.)

| Groups          | I            | II              | III             | IV              | V               | VI              | VII             | VIII              |
|-----------------|--------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|
| Oxides          | RO           | RO              | RO <sub>2</sub> | RO <sub>2</sub> | RO <sub>2</sub> | RO <sub>2</sub> | RO <sub>2</sub> | RO <sub>2</sub>   |
| Hydrides        | RH           | RH <sub>2</sub> | RH <sub>3</sub> | RH <sub>4</sub> | RH <sub>3</sub> | RH <sub>2</sub> | RH              |                   |
| Periods         | A B          | A B             | A B             | A B             | A B             | A B             | A B             | Transition series |
| 1               | H<br>1.008   |                 |                 |                 |                 |                 |                 |                   |
| 2               | Li<br>6.939  | Be<br>9.012     | B<br>10.81      | C<br>12.011     | N<br>14.007     | O<br>15.999     | F<br>18.998     |                   |
| 3               | Na<br>22.99  | Mg<br>24.31     | Al<br>26.98     | Si<br>28.09     | P<br>30.974     | S<br>32.06      | Cl<br>35.453    |                   |
| 4 First series: | K<br>39.102  | Ca<br>40.08     | Sc<br>44.96     | Ti<br>47.90     | V<br>50.94      | Cr<br>52.00     | Mn<br>54.94     | Fe<br>55.85       |
| Second series:  |              | Cu<br>63.54     | Zn<br>65.37     | Ga<br>69.72     | Ge<br>72.59     | As<br>74.92     | Se<br>78.96     | Br<br>79.909      |
| 5 First series: | Rb<br>85.47  | Sr<br>87.62     | Y<br>88.91      | Zr<br>91.22     | Nb<br>92.91     | Mo<br>95.94     | Tc<br>99        | Ru<br>101.07      |
| Second series:  |              | Ag<br>107.87    | Cd<br>112.40    | In<br>114.82    | Sn<br>118.69    | Sb<br>121.75    | Te<br>127.60    | I<br>126.90       |
| 6 First series: | Cs<br>132.90 | Ba<br>137.34    | La<br>138.91    | Hf<br>178.49    | Ta<br>180.95    | W<br>183.85     |                 | Os<br>190.2       |
| Second series:  |              | Au<br>196.97    | Hg<br>200.59    | Tl<br>204.37    | Pb<br>207.19    | Bi<br>208.98    |                 | Ir<br>192.2       |

## Modern Periodic Table

(In 1913, Henry Moseley)

→ Arranged in order of increasing atomic numbers

Periodic Table of the Elements

## Need of Classification:

It is very difficult to study individually the chemistry of all the elements and millions of their compounds, hence to simplify and systematize the study of elements and their compounds, they have been arranged in a tabular form.

## Dobereiner's Triads (1817), Johan Wolfgang Dobereiner: [CBSE - 2020]

- First to classify elements into triads.
- When the three elements in triad were written in the order of increasing atomic masses, the Atomic mass of the middle elements was roughly the average of the atomic masses of the other two elements.

Table 4.1 Dobereiner's law of triads

| Triad Group (1) |             | Triad Group (2) |             | Triad Group (3) |             |
|-----------------|-------------|-----------------|-------------|-----------------|-------------|
| Element         | Atomic Mass | Element         | Atomic Mass | Element         | Atomic Mass |
| Li              | 6.9         | Cl              | 35.5        | Ca              | 40.1        |
| Na              | 23          | Br              | 79.9        | Sr              | 87.6        |
| K               | 39.1        | I               | 126.9       | Ba              | 137.3       |

- Dobereiner made the first observation on platinum as a catalyst and discovered similar triads of element which led to the development of periodic table of elements.

## Limitations of Dobereiner Triads:

[NCERT]

- Identified only three triads from the elements known at time.
- Large number of similar elements could not be grouped into triads.
- It was possible that quite dissimilar elements could be grouped in a triads.

### Me reading dobereiner's triads



Dobereiner gives his triads  
everyone:





## PREVIOUS YEAR QUESTIONS

**Q.** Can the following groups of elements be classified as Döbereiner's triad? **[CBSE – 2019]**

- i) Na, Si, Cl                      ii) Be, Mg, Ca

Atomic mass of Be – 9, Na – 23, Mg – 24, Si – 28, Cl – 35, Ca – 40 Justify your Answer.

**Ans. i)** Na, Si, Cl have different properties, therefore they do not form Döbereiner's triads even though the atomic mass of the middle atom Si is approximately the average of the Atomic masses of Na and Cl.

Na (23)      SI (28)

Cl (35)

$$\text{Atomic mass of Si} = \frac{23 + 35}{2} = 29$$

- ii) Be, Mg, Ca have many similar properties and also the atomic mass of the middle element Mg is approximately the average of the atomic masses of Be and Ca

Be (g); Mg(24); Ca(40)

$$\frac{9+40}{2} = \frac{49}{2} = 24.5$$

### Newland's Law of Octaves (1866, John Newlands) :

1. Newland arranged the known elements in order of increasing atomic masses and found that every eighth element had properties similar to that of the first.
2. He compound this to the octave found in the musical notes, therefore, He called it the “law of octaves”
3. Properties of Li and Na were found to be the same sodium is the eight element after Lithium.

| sa<br>(do) | re<br>(re) | ga<br>(mi) | ma<br>(fa) | pa<br>(so) | da<br>(la) | ni<br>(ti) |
|------------|------------|------------|------------|------------|------------|------------|
| H          | Li         | Be         | B          | C          | N          | O          |
| F          | Na         | Mg         | Al         | Si         | P          | S          |
| Cl         | K          | Ca         | Cr         | Ti         | Mn         | Fe         |
| Co and Ni  | Cu         | Zn         | Y          | In         | As         | Se         |
| Br         | Rb         | Sr         | Ce and La  | Zr         | —          | —          |

### Table : Newland's Octaves



## Limitations of Newland's Octave:

[NCERT]

1. It was found that the law of octave was applicable only up to calcium, as after calcium every element did not possess properties similar to that of the first.

[Exemplar]

2. After discovery of Nobel gases, it become difficult to fit them in Newland's periodic table.

3. It was assumed by Newlands that only 56 elements existed in nature and no more elements would be discovered in the future, But later on several new elements were discovered, whose properties did not fit into the law of octave.

4. In order to fit elements into his table, Newlands adjusted two elements in the

When someone asks about the relation  
between properties of elements after  
calcium

Newland:



5. Co, Ni are in same slot and these are placed in the column as F, Cl, Br.


6. Fe, which resembles Co and Ni in properties, has been placed free away from these elements.

## Mendeleev's Periodic Table (Dmitri Ivanovich Mendeleev)

➤ **Mendeleev's Periodic Law:** [NCERT, Exemplar, CBSE:2020]

The physical and chemical properties of the elements are periodic function of their atomic masses. [Exemplar]

➤ Mendeleev's arranged 63 elements known at that time in order of increasing atomic masses.



Mendeleev: \*invents periodic table so people won't have to memorize the elements' properties\*

Chemistry teachers: \*makes the students memorize the table\*

Mendeleev:



Mendeleev's Periodic Table of 1871<sup>1</sup>

|    | I<br>---<br>R <sub>2</sub> O | II<br>---<br>RO | III<br>---<br>R <sub>2</sub> O <sub>3</sub> | IV<br>RH <sub>4</sub><br>RO <sub>2</sub> | V<br>RH <sub>3</sub><br>R <sub>2</sub> O <sub>3</sub> | VI<br>RH <sub>2</sub><br>RO <sub>3</sub> | VII<br>RH<br>R <sub>2</sub> O <sub>7</sub> | VIII<br>---<br>RO <sub>4</sub>       |
|----|------------------------------|-----------------|---|--|---|--|--|--------------------------------------|
| 1  | H<br>1                       |                 |   |  |   |  |  |                                      |
| 2  | Li<br>7                      | Be<br>9.4       | B<br>11                                     | C<br>12                                  | N<br>14   | O<br>16                                  | F<br>19                                    |                                      |
| 3  | Na<br>23                     | Mg<br>24        | Al<br>27.3                                  | Si<br>28                                 | P<br>31   | S<br>32                                  | Cl<br>35.5                                 |                                      |
| 4  | K<br>39                      | Ca<br>40        | ?<br>44                                     | Ti<br>48                                 | V<br>51   | Cr<br>52                                 | Mn<br>55                                   | Fe, Co, Ni, Cu<br>56, 59, 59, 63     |
| 5  | Cu<br>63                     | Zn<br>65        | ?<br>68                                     | ?<br>72                                  | As<br>75  | Se<br>78                                 | Br<br>80                                   |                                      |
| 6  | Rb<br>85                     | Sr<br>87        | ? Yt<br>88                                  | Zr<br>90                                 | Nb<br>94  | Mo<br>96                                 | ?<br>100                                   | Ru, Rh, Pd, Ag<br>104, 104, 106, 108 |
| 7  | Ag<br>108                    | Cd<br>112       | In<br>113                                   | Sn<br>118                                | Sb<br>122   | Te<br>125                                | I<br>127                                   |                                      |
| 8  | Cs<br>133                    | Ba<br>137       | ? Di<br>138                                 | ? Ce<br>140                              | ?<br>140  | ?<br>140                                 | ?<br>140                                   | ?, ?, ?, ?                           |
| 9  | ?<br>140                     | ?<br>140        | ?<br>140                                    | ?<br>140                                 | ?<br>140  | ?<br>140                                 | ?<br>140                                   |                                      |
| 10 | ?<br>140                     | ?<br>140        | ? Er<br>178                                 | ?? La<br>180                             | Ta<br>182   | W<br>184                                 | ?<br>184                                   | Os, Ir, Pt, Au<br>195, 197, 198, 199 |
| 11 | Au<br>199                    | Hg<br>200       | Tl<br>204                                   | Pb<br>207                                | Bi<br>208   | ?<br>208                                 | ?<br>208                                   |                                      |
| 12 | ?<br>208                     | ?<br>208        | ?<br>208                                    | Th<br>231                                | ?<br>231  | U<br>240                                 | ?<br>240                                   |                                      |

## Features of Mendeleev's Periodic Table

- Consists 8 vertical column, called groups, each group is divided into two sub-groups and 6 horizontal rows, called period.
- In every period, elements are arranged in increasing order of their atomic masses.
- He predicted the atomic masses and properties of several elements that were not known at that time

Eka – Boron = Scandium

Eka – Aluminium = Gallium

Eka – Silicon = Germanium

**[Exemplar]**

- Left gaps for the elements not discovered at that time and named by prefixing a Sanskrit numeral Eka (one)

- [Exemplar]**

1. Elements with dissimilar properties were kept in same group
2. Position of Hydrogen was not fixed in periodic table
3. Elements with similar properties were kept in diff groups
4. Heavier elements were kept before the lighter elements.
5. Position of isotopes and isobars could not be explained.

| Property            | Eka – Aluminium        | Gallium   |
|---------------------|------------------------|---|
| Atomic mass         | 68                     | 69.7  |
| Formula of oxide    | $\text{E}_2\text{O}_3$ | $\text{Ga}_2\text{O}_3$ <b>[NCERT, CBSE - 2019]</b> |
| Formula of Chloride | $\text{ECl}_3$         | $\text{GaCl}_3$ <b>[Exemplar]</b>                   |

Henry Moseley worked on X-Ray spectra of element and established that the atomic number is equal to the total nuclear charge


[illegible]




## Description of groups:

| Family of Elements         | Groups                          |
|----------------------------|---------------------------------|
| Representative Elements    | 1 and 2 (left) 13 – 18 (Right)  |
| Alkali Metals              | 1                               |
| Alkaline earth Metals      | 2                               |
| Boron Family               | 13                              |
| Carbon Family              | 14                              |
| Nitrogen Family/Pnictogens | 15                              |
| Chalcogens                 | 17                              |
| Inert gases                | 18                              |
| Transition Elements        | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 |

PERIODIC TABLE



893 POKEMONS



## Modern Periodic Law:

[Exemplar, CBSE - 2020]

The properties of elements are the periodic function of their atomic numbers, Properties of elements depend upon their electronic configuration. Features of Modern Periodic Table:

1. 18 vertical column, known as groups and 7 Horizontal rows, known as periods.
2. The elements present in a group have the same number of valence electrons.
3. Elements of period have same no. of shells but do not have same no. of electrons.
4. The number of shells increases as we go down the groups.
5. Modern periodic table is divided into 4 Blocks (s-Block, p-Block, D-Block, F-Block)
6. s-Block → group I and II p-Block → group 13 to 18 d-Block → group 3 to 12
7. Number of elements present in a period can be explained how electrons are filled into various shells

### For Example:-

K – Shell –  $2 \times (1)^2 = 2$ , Hence first period has 2 elements

L – Shell –  $2 \times (2)^2 = 8$ , Second period has 8 elements

### Trends in Modern Periodic Table:

#### 1. Valency: “Valency is the combining capacity of an element”

The valency of an element is determined by the number of valence electrons present in the outermost shell of its atom. Valency of atoms of s-Block and p-Block elements are generally given by the number of valence electron or eight minus the number of valence electrons where as in d-Block and f-Block valency is not determined on the basis of valence electrons, general valencies are 2 and 3  
**[Delhi – 2012, 2011]**

Valency of Na, Li, K etc = (1)

Valency of Mg, Ba etc = (2)


Valency of Cl, F, Br =  $8 - 7 = (1)$

↓


Valence  $e^-$ s

**2. Atomic Size:** The term atomic size refers to the Radii of an atom, that is the distance between the centre of the nucleus and outermost shell.

Atomic size increases down the group due to addition of new shells. **[Exemplar, Delhi – 2012, 2011]**



Atomic size decreases on moving from Left to Right along the period



## Question

**Q.** Arrange the following elements in increasing order of atomic size.

**[Exemplar]**

**Ans. i.** Li, Be, F, N  $\rightarrow$   $F < N < Be < Li$

**ii.** Cl, At, Br, I  $\rightarrow$   $Cl < Br < I < At$

## 4. Electronegativity:

The electronegativity of the element increases along a period, since the non-metallic character increases. Similarly, it decreases down the group, since the Non-metallic character decreases.

## Question

**Q.** Which atom is most electronegative along the period 4?

- a) K                      b) Rb                      c) Sr                      d) Ca

**Ans.** (d) Ca

**Q.** Arrange in increasing order of electronegativity F, Br, Cl, I

**Ans.** We know that electronegativity increases along the period and decreases down the group  
 $I < Br < Cl < F$

## You Know What!

Dobereiner's triads also exist in the column of Newland octaves e.g. Li, Na and Potassium constitute a Dobereiner's triads. Now if we consider Li as the First element, then the eight element from it is K similarly, Dobereiner's triad consisting of the elements Be, Mg, Ca is also included in the column of Newland Octaves.

**[Exemplar]**

## Question



**Q.** From the elements Li, K, Mg, C, Al, S identify the

- Element belonging to the same group
- Element which has the tendency to lose two electrons
- Element which prefer sharing of electrons to complete its octet.

**Ans.** i) Li and K because both have same outermost electronic configuration.

ii) Mg due to presence of  $2e^-$  in outer most shell.


iii) Carbon due to tetravalency

**Q.** List any two distinguishing features between Mendeleev's Periodic table and the modern periodic table.

**Ans.**

| Mendeleev's Periodic Table   | Modern Periodic Table  |
|--|--|
| 1) In the Mendeleev's Periodic table, the elements were arranged in increasing order of their Atomic masses. | 1) In modern periodic table, the elements are arranged in the increasing order of their atomic number. |
| 2) It consists of 8 groups and 6 periods   | 2) Contains 18 groups and 7 periods.   |

**5. Nature of Oxides:** On moving from left to right in a period, due to increase in Non-Metallic character, basic nature of oxides decreases, while acidic nature increases.



### Previous Years Question

**Q.** How it can be proved that the basic structure of the modern periodic table is based on the electronic configuration of atoms of different elements? **[CBSE - 2019]**

**Ans.** Electronic configuration of an element decides its position in modern periodic table.

If we take an example of sodium (Na), which has atomic number = 11 i.e. its electronic configuration is 2, 8, 1; As Sodium contains 1 electron in its outermost shell, this means that it belongs to group - I and sodium contains 3 shells so, it belongs to period number 3.

**Q.** The electronic configuration of an element is 2, 8, 4 state it. **[Delhi - 2019]**

- Groups and period in the modern periodic table
- Name and write its one physical property.

**Ans.** a) The element belongs to group 14 and 3<sup>rd</sup> period of modern periodic table.

b) The element is silicon. It is Non-lustrous

**Q.** An element 'x' belongs to 3<sup>rd</sup> period and group 17 of the periodic table. State its **[AI - 2012]**

- Electronic Configuration
- Valency

Justify your answer with reason





**Q.** An element X is forming an acidic oxide its position in Modern periodic table will be.

- a) Group 1 and period 3                      b) group 2 and period 3  
c) group 13 and period 3                    d) group 16 and period 3


**Ans.** Oxides of Non-metals are Acidic in Nature group 1 and group 2 consists of metals' while group 13 consists of Amphoteric Oxides.

**Q.** An element 'X' with atomic number 11 forms a compound with element 'Y' with a atomic number 8. The formula of compound formed is **[CBSE - 2020]**

- a) XY                      b) X<sub>2</sub>Y                      c) XY<sub>2</sub>                      d) X<sub>2</sub>Y<sub>3</sub>

**Ans.** X = 11 so its electronic configuration will be 2, 8, 1

Y = 8 its electronic configuration will be 2, 6



**Q.** Define Electro positivity. **[CBSE - 2020]**

**Ans.** Electro positivity is the measure of the ability of elements to donate electrons to form positive ions.

**Q.** Write any one difference in the electronic configuration of group – 1 and group – 2 elements. **[Delhi - 2014]**

**Ans.** Group – 1 elements have one electron in their outermost shell and group – 2 element have two electrons in their outermost shell.

**Q.** Write the atomic numbers of two elements 'X' and 'Y' having electronic configuration 2, 8, 2 and 2, 8, 6 respectively. **[AI - 2014]**

**Ans.** Electronic configuration of 'X' = 2, 8, 2

$$\begin{aligned}\text{Atomic number} &= 2 + 8 + 2 \\ &= 12\end{aligned}$$

Similarly,

Electronic configuration of 'Y' = 2, 8, 6

$$\begin{aligned}\text{Atomic number} &= 2 + 8 + 6 \\ &= 16\end{aligned}$$

**Q.** The electronic configuration of an element is 2, 8, 4 state its **[Delhi - 2019]**

- i) group and period in the modern periodic table.  
ii) Name and write its one physical property.


**Ans.** i) The element belongs to group 14 and 3<sup>rd</sup> period of the modern periodic table.

ii) The element is silicon. It is non-lustrous.

**Q.** F, Cl and Br are the elements each having seven valence electrons. Which of these

- i) has largest atomic radius **[Delhi - 2012]**  
ii) is most reactive? Justify your answer stating reason for each.

**Ans.** i) F, Cl and Br all have seven valence electrons so, they belong to the same group on moving down the group, the atomic size of the element increases due to addition of extra shells at each successive element due to this the average distance between nucleus and outermost shell increases. Thus Br is largest in size among F, Cl and Br.



b) Fluorine is the most reactive element because the chemical reactivity of Non-metals decreases on going down the group.



**Q.** Name the scientist who first of all showed that atomic number of an element is more fundamental property than its atomic mass. [CBSE - 2018]

**Ans.** Henry Moseley

**Q.** The position of certain elements in the modern periodic table are shown below: [CBSE – 2020]

| Period<br>↓<br>Group → | 1 | 2 | 3 to<br>12 | 13 | 14 | 15 | 16 | 17 | 18 |
|------------------------|---|---|------------|----|----|----|----|----|----|
| 1                      | G |   |            |    |    |    |    |    | H  |
| 2                      | A |   |            | I  |    |    | B  |    | C  |
| 3                      |   | D |            |    | E  |    |    |    | F  |

Using the above table answer the following questions giving reasons in each case:

- Which element will form only covalent compounds?
- Which element is a Non-Metal with valency 2?
- Which element is a Metal with valency 2?
- Out of H, C and F which has largest atomic size?

**Ans.** i) Element 'E' will form only covalent compounds because it has 4  $e^-$  in the outermost shell so, it can neither loose nor gain 4 electrons.  
 ii) Element 'B' is Non-metal with valency 2, as it has 6  $e^-$  in the outer most shell so, its valency will be  $8 - 6 = 2$   
 iii) Element 'D' is Metal with valency 2, as it has  $2e^\ominus$  in the outermost shell.  
 iii)  $F > C > H$  [down the group atomic size increases.]

**Q.** Write the number of vertical columns in the Modern Periodic table. What are these column called? [Delhi – 2014, 2013]

**Ans.** There are 18 vertical column in the Modern Periodic table which are called groups.

**Q.** Calcium is an Element with atomic number 20. Stating reason answer for each of the following questions: [Delhi – 2016]

- Is Ca a Metal or Non-Metal?
- Will its atomic radius be larger or smaller than that of potassium with atomic number 19?
- Write the formula of its oxide.

**Ans.** Atomic number of calcium is 20; so its electronic configuration is 2,8,8,2

- As it has 2 valence electrons in the outermost shell which can be easily lost, so it is a Metal.
- On Moving from left to right in a period, the atomic radius decreases, K and Ca are present in same period so; atomic radius of Ca (20) will be smaller than that of K (19)
- The valency of calcium as well as oxygen is 2, thus the formula of oxide will be  $\text{CaO}$ .

**Q.** Choose from the following: [AI – 2012]

${}_6\text{C}$ ,  ${}_8\text{O}$ ,  ${}_{10}\text{Ne}$ ,  ${}_{11}\text{Na}$ ,  ${}_{14}\text{Si}$

- Elements that should be in the same period.
- Elements that should be in the same group. State reason for your selection in each case.

**Ans.** i) C, O, Ne all contains two shells hence, they belong to same period.  
 ii) C and Si belong to the same group as they both contain  $4e^-$  in their outermost shell thus, C and Si belong to group 14.

**Q.** The atomic number of an element is 16. Predict **[AI – 2011]**

- i) The number of valence electrons in its atoms.
- ii) Its valency
- iii) Its group number
- iv) Whether it is a metal or a Non-metal
- v) The Nature of oxide formed by it
- vi) The formula of its chloride


**Ans.** i) Atomic number of Element (E) is 16 and its electronic configuration is 2,8,6

ii) Valency  $\Rightarrow 8 - 6 = 2$

iv) As there are 6 valence electrons thus, its group number is  $10 + 6 = 16$

v) This element is non-Metal

vi) The Nature of oxide formed by this element is Acidic



**This Chapter Ends here !! But not your work**

Go to Practice Questions, Solve Dpps attend MCQs and revise  
the notes after some 2<sup>nd</sup> 4<sup>th</sup> and 7<sup>th</sup> day

To get 95+ you have to keep on revising what you studied.

**[ Remember Consistency and HardWork Gives Great Result ]**

**NOTES MADE BY**



**MRIDUL BHAIYA**

©MBC – MRIDUL BHAIYA CLASSES